

References

1. Fergusson M. Excision of the knee joint; recovery with a false joint and a useful limb. *Med Times Gazette* 1861; (1):601.
2. Verneuil A. De la création d'une fausse articulation par section ou résection partielle de l'os maxillaire inferieur, comme moyen de remédier à l'ankylose vraie ou fausse de la machoire inférieure. *Arch Gén Méd* 1860; (15):174.
3. Barnaart AFW. De total condylar knieprothese. Een klinische en radiologische studie. Thesis. Rijksuniversiteit Leiden, 1992.
4. Baer WS. Arthroplasty with the aid of animal membrane. *Am J Orthop Surg* 1918; 16:171.
5. Murphy JB. Arthroplasty. *Ann Surg* 1913; (57):593.
6. Putti V. Arthroplasty. *Am J Orthop Surg* 1921; (19):421.
7. Albee FH. Original features in arthroplasty of the knee with improved prognosis. *Surg Gynecol Obstet* 1928; (47):312.
8. Sampson JE. Arthroplasty of the knee joint. *J Bone and Joint Surg Br* 1949; (60):50.
9. Kuhns JG, Potter TA. Nylon arthroplasty of the knee joint in chronic arthritis. *Surg Gynecol Obstet* 1950; (91):22-352.
10. Brown JE, McGaw WH, Shaw DT. Use of cutis as an interposing membrane in arthroplasty of the knee. *J Bone Joint Surg Am* 1958; 40(5):1003-1018.
11. Riley Jr LH. The evolution of total knee arthroplasty. *Clin Orthop* 1976; (120):7-10.
12. Smith-Petersen MN. Arthroplasty of the hip. A new method. *J Bone Joint Surg Am* 1939; (21):269.
13. Campbell WC. Interposition of Vitallium plates in arthroplasties of the knee: Preliminary report. *Am J Surg* 1940; (47):639-641.
14. Jones WN, Aufranc OE, Kermond WL. Mould arthroplasty of the knee. *J Bone Joint Surg Am* 1976; (49):1022.
15. Judet J, Judet R, Crepin GT. Essais de prothese ostéo-articulaire. *Pressé Med* 1947; (52):302.
16. Magnoni V, d'Intignano JM. Genou en resine acrylique. *Rev Orthop* 1949; (35):556.
17. Walldius B. Arthroplasty of the knee with an endoprosthesis. *Acta Chir Scand* 1957; 113(6):445-446.
18. Shiers LG. Arthroplasty of the knee; preliminary report of new method. *J Bone Joint Surg Br* 1954; 36(4):553-560.
19. McKeever DC. Tibial plateau prosthesis. *Clin Orthop* 1960; (18):66.
20. MacIntosh DL. Arthroplasty of the knee. *J Bone and Joint Surg Br* 1966; (48):179.
21. Gunston FH. Polycentric knee arthroplasty. Prosthetic simulation of normal knee movement. *J Bone Joint Surg Br* 1971; 53(2):272-277.
22. Charnley J. The long-term results of low-friction arthroplasty of the hip performed as a primary intervention. *J Bone Joint Surg Br* 1972; 54(1):61-76.

23. McKee GK, Watson-Farrar J. Replacement of arthritic hips by the McKee-Farrar prosthesis. *J Bone Joint Surg Br* 1966; 48(2):245-259.
24. Bryan RS, Peterson LF. Polycentric total knee arthroplasty. *Orthop Clin North Am* 1973; 4(2):575-584.
25. Sheehan JM. Arthroplasty of the knee. *J Bone Joint Surg Br* 1978; 60(3):333-338.
26. Attenborough CG. The Attenborough total knee replacement. *J Bone Joint Surg Br* 1978; 60(3):320-326.
27. Buchholz HW, Engelbrecht E. Intracondylar total knee-joint endoprosthesis "Modell St. George". *Chirurg* 1973; 44(8):373-378.
28. Engelbrecht E, Zippel J. The sledge prosthesis "model St. Georg". *Acta Orthop Belg* 1973; 39(1):203-209.
29. Witovet J. Guepar total knee prosthesis. *Excerpta Med* 1973; (298):28.
30. Deburge A, Aubriot JH, Genet JP. Current status of a hinge prosthesis (GUEPAR). *Clin Orthop* 1979;(145):91-93.
31. Lettin AW, Deliss LJ, Blackburne JS, Scales JT. The Stanmore hinged knee arthroplasty. *J Bone Joint Surg Br* 1978; 60(3):327-332.
32. Bohm P, Holy T. Is there a future for hinged prostheses in primary total knee arthroplasty? A 20-year survivorship analysis of the Blauth prosthesis. *J Bone Joint Surg Br* 1998; 80(2):302-309.
33. Jones RE, Barrack RL, Skedros J. Modular, mobile-bearing hinge total knee arthroplasty. *Clin Orthop* 2001;(392):306-314.
34. Kneisl JS, Finn HA, Simon MA. Mobile knee reconstructions after resection of malignant tumors of the distal femur. *Orthop Clin North Am* 1991; 22(1):105-119.
35. Waugh TR, Smith RC, Orofino CF, Anzel SM. Total knee replacement: operative technic and preliminary results. *Clin Orthop* 1973; (94):196-201.
36. Buechel FF, Sr., Buechel FF, Jr., Pappas MJ, D'Alessio J. Twenty-year evaluation of meniscal bearing and rotating platform knee replacements. *Clin Orthop* 2001;(388):41-50.
37. Goodfellow J, O'Connor J. The mechanics of the knee and prosthesis design. *J Bone Joint Surg Br* 1978; 60(3):358-369.
38. Bert JM. Dislocation/subluxation of meniscal bearing elements after New Jersey low-contact stress total knee arthroplasty. *Clin Orthop* 1990;(254):211-215.
39. Jordan LR, Olivo JL, Voorhorst PE. Survivorship analysis of cementless meniscal bearing total knee arthroplasty. *Clin Orthop* 1997;(338):119-123.
40. Verhaven E, Handelberg F, Casteleyn PP, Opdecam P. Meniscal bearing dislocation in the Oxford knee. *Acta Orthop Belg* 1991; 57(4):430-432.
41. Martin SD, Scott RD, Thornhill TS. Current concepts of total knee arthroplasty. *J Orthop Sports Phys Ther* 1998; 28(4):252-261.
42. Freeman MA, Swanson SA, Todd RC. Total replacement of the knee using the Freeman-Swanson knee prosthesis. *Clin Orthop* 1973; (94):153-170.

43. Ranawat CS. History of total knee replacement. *J South Orthop Assoc* 2002; 11(4):218-226.
44. Coventry MB, Finerman GA, Riley LH, Turner RH, Upshaw JE. A new geometric knee for total knee arthroplasty. *Clin Orthop* 1972; (83):157-162.
45. Yamamoto S. Total knee replacement with the Kodama-Yamamoto knee prosthesis. *Clin Orthop* 1979;(145):60-67.
46. Seedhom BB, Longton EB, Dowson D, Wright V. Biomechanics background in the design of a total replacement knee prosthesis. *Acta Orthop Belg* 1973; 39(1):164-180.
47. Townley CO. The anatomic total knee resurfacing arthroplasty. *Clin Orthop* 1985;(192):82-96.
48. Ewald FC, Wright RJ, Poss R, Thomas WH, Mason MD, Sledge CB. Kinematic total knee arthroplasty: a 10- to 14-year prospective follow-up review. *J Arthroplasty* 1999; 14(4):473-480.
49. Ritter MA, Campbell E, Faris PM, Keating EM. Long-term survival analysis of the posterior cruciate condylar total knee arthroplasty. A 10-year evaluation. *J Arthroplasty* 1989; 4(4):293-296.
50. Font-Rodriguez DE, Scuderi GR, Insall JN. Survivorship of cemented total knee arthroplasty. *Clin Orthop* 1997;(345):79-86.
51. Eftekhari NS. Total knee-replacement arthroplasty. Results with the intramedullary adjustable total knee prosthesis. *J Bone Joint Surg Am* 1983; 65(3):293-309.
52. Ring PA. Uncemented surface replacement of the knee joint. *Clin Orthop* 1980;(148):106-111.
53. Hungerford DS, Kenna RV, Krackow KA. The porous-coated anatomic total knee. *Orthop Clin North Am* 1982; 13(1):103-122.
54. Hungerford DS, Krackow KA, Kenna RV. Two to five year experience with a cementless porous-coated total knee prosthesis. In: Rand JA, Dorr LD, editors. *Total Knee Arthroplasty: Proceedings of the Knee Society 1985-1986*. Rockville: Aspen Publishers, 1987.
55. Blaha JD, Insler HP, Freeman MA, Revell PA, Todd RC. The fixation of a proximal tibial polyethylene prosthesis without cement. *J Bone Joint Surg Br* 1982; 64(3):326-335.
56. Freeman MA, Blaha JD, Bradley GW, Insler HP. Cementless fixation of ICLH tibial component. *Orthop Clin North Am* 1982; 13(1):141-154.
57. Cloutier JM. Results of total knee arthroplasty with a non-constrained prosthesis. *J Bone Joint Surg Am* 1983; 65(7):906-919.
58. Miehle RK, Keller A. The Interplanta system model knee joint prosthesis. Preliminary results. *Z Orthop Ihre Grenzgeb* 1985; 123(3):290-295.
59. Stuart MK. Indications and patient selection. In: Morrey BF, editor. *Joint Replacement Arthroplasty*. New York: Churchill Livingstone, 1991: 971-979.
60. Tooms RE. Arthroplasty of ankle and knee. In: Crenshaw AH, editor. *Campbell's operative orthopaedics*. St. Louis: Mosby year book, 1992: 371-439.

61. Morrison JB. Function of the knee joint in various activities. *Biomed Eng* 1969; 4(12):573-580.
62. Moreland JR. Mechanisms of failure in total knee arthroplasty. *Clin Orthop* 1988;(226):49-64.
63. Tulp NJA. Wear and alignment in total knee replacement. An in vivo and laboratory study. Thesis. Katholieke Universiteit Nijmegen, 1993.
64. Scuderi GR, Insall JN. Total knee arthroplasty. Current clinical perspectives. *Clin Orthop* 1992;(276):26-32.
65. Charnley J, Halley DK. Rate of wear in total hip replacement. *Clin Orthop* 1975;(112):170-179.
66. Harris WH. The first 32 years of total hip arthroplasty. One surgeon's perspective. *Clin Orthop* 1992;(274):6-11.
67. Ranawat CS, Flynn WF, Jr., Saddler S, Hansraj KK, Maynard MJ. Long-term results of the total condylar knee arthroplasty. A 15-year survivorship study. *Clin Orthop* 1993;(286):94-102.
68. Dannenmaier WC, Haynes DW, Nelson CL. Granulomatous reaction and cystic bony destruction associated with high wear rate in a total knee prosthesis. *Clin Orthop* 1985;(198):224-230.
69. Howie DW, Vernon-Roberts B, Oakeshott R, Manthey B. A rat model of resorption of bone at the cement-bone interface in the presence of polyethylene wear particles. *J Bone Joint Surg Am* 1988; 70(2):257-263.
70. Howie DW. Tissue response in relation to type of wear particles around failed hip arthroplasties. *J Arthroplasty* 1990; 5(4):337-348.
71. Bartel DL, Bicknell VL, Wright TM. The effect of conformity, thickness, and material on stresses in ultra-high molecular weight components for total joint replacement. *J Bone Joint Surg Am* 1986; 68(7):1041-1051.
72. Bayley JC, Scott RD. Further observations on metal-backed patellar component failure. *Clin Orthop* 1988;(236):82-87.
73. Bayley JC, Scott RD, Ewald FC, Holmes GB, Jr. Failure of the metal-backed patellar component after total knee replacement. *J Bone Joint Surg Am* 1988; 70(5):668-674.
74. Lombardi AV, Jr., Engh GA, Volz RG, Albrigo JL, Brainard BJ. Fracture/dissociation of the polyethylene in metal-backed patellar components in total knee arthroplasty. *J Bone Joint Surg Am* 1988; 70(5):675-679.
75. Rosenberg AG, Andriacchi TP, Barden R, Galante JO. Patellar component failure in cementless total knee arthroplasty. *Clin Orthop* 1988;(236):106-114.
76. Ryd L, Carlsson L, Herberts P. Micromotion of a noncemented tibial component with screw fixation. An in vivo roentgen stereophotogrammetric study of the Miller-Galante prosthesis. *Clin Orthop* 1993;(295):218-225.
77. Rorabeck CH, Bourne RB, Lewis PL, Nott L. The Miller-Galante knee prosthesis for the treatment of osteoarthritis. A comparison of the results of partial fixation with cement and fixation without any cement. *J Bone Joint Surg Am* 1993; 75(3):402-408.

78. Insall JN, Kelly M. The total condylar prosthesis. *Clin Orthop* 1986;(205):43-48.
79. Andriacchi TP, Galante JO. Retention of the posterior cruciate in total knee arthroplasty. *J Arthroplasty* 1988; 3 Suppl:S13-S19.
80. Birrell F, Johnell O, Silman A. Projecting the need for hip replacement over the next three decades: influence of changing demography and threshold for surgery. *Ann Rheum Dis* 1999; 58(9):569-572.
81. Engh GA, Dwyer KA, Hanes CK. Polyethylene wear of metal-backed tibial components in total and unicompartmental knee prostheses. *J Bone Joint Surg Br* 1992; 74(1):9-17.
82. Mirra JM, Marder RA, Amstutz HC. The pathology of failed total joint arthroplasty. *Clin Orthop* 1982;(170):175-183.
83. Wroblewski B. Wear of high-density polyethylene tibial components. *J Biomed Mater Res* 1981; (15):719-730.
84. Peters PC, Jr., Engh GA, Dwyer KA, Vinh TN. Osteolysis after total knee arthroplasty without cement. *J Bone Joint Surg Am* 1992; 74(6):864-876.
85. Hood RW, Wright TM, Burstein AH. Retrieval analysis of total knee prostheses: a method and its application to 48 total condylar prostheses. *J Biomed Mater Res* 1983; 17(5):829-842.
86. Schmalzried TP, Dorey FJ, McKellop H. The multifactorial nature of polyethylene wear in vivo. *J Bone Joint Surg Am* 1998; 80(8):1234-1242.
87. Allen AM, Ward WG, Pope TL, Jr. Imaging of the total knee arthroplasty. *Radiol Clin North Am* 1995; 33(2):289-303.
88. Cuckler JM. When it doesn't work: mechanisms of TKA failure. *Orthopedics* 1999; 22(9):871-872.
89. Ecker ML, Lotke PA, Windsor RE, Cella JP. Long-term results after total condylar knee arthroplasty. Significance of radiolucent lines. *Clin Orthop* 1987;(216):151-158.
90. Moreland JR, Bassett LW, Hanker GJ. Radiographic analysis of the axial alignment of the lower extremity. *J Bone Joint Surg Am* 1987; 69(5):745-749.
91. Parks NL, Engh GA, Topoleski LD, Emperado J. The Coventry Award. Modular tibial insert micromotion. A concern with contemporary knee implants. *Clin Orthop* 1998;(356):10-15.
92. Wasielewski RC, Parks N, Williams I, Surprenant H, Collier JP, Engh G. Tibial insert undersurface as a contributing source of polyethylene wear debris. *Clin Orthop* 1997;(345):53-59.
93. Landy MM, Walker PS. Wear of ultra-high-molecular-weight polyethylene components of 90 retrieved knee prostheses. *J Arthroplasty* 1988; 3 Suppl:S73-S85.
94. Blunn GW, Joshi AB, Minns RJ, Lidgren L, Lilley P, Ryd L et al. Wear in retrieved condylar knee arthroplasties. A comparison of wear in different designs of 280 retrieved condylar knee prostheses. *J Arthroplasty* 1997; 12(3):281-290.

95. Collier JP, Mayor MB, McNamara JL, Surprenant VA, Jensen RE. Analysis of the failure of 122 polyethylene inserts from uncemented tibial knee components. *Clin Orthop* 1991;(273):232-242.
96. Tanner MG, Whiteside LA, White SE. Effect of polyethylene quality on wear in total knee arthroplasty. *Clin Orthop* 1995;(317):83-88.
97. Hoshino A, Fukuoka Y, Ishida A. Accurate in vivo measurement of polyethylene wear in total knee arthroplasty. *J Arthroplasty* 2002; 17(4):490-496.
98. Dobbs HS. Survivorship of total hip replacements. *J Bone Joint Surg Br* 1980; 62(2):168-173.
99. Dorey F, Amstutz HC. The validity of survivorship analysis in total joint arthroplasty. *J Bone Joint Surg Am* 1989; 71(4):544-548.
100. Peersman G, Laskin R, Davis J, Peterson M. Infection in total knee replacement: a retrospective review of 6489 total knee replacements. *Clin Orthop* 2001;(392):15-23.
101. Isaac GH, Dowson D, Wroblewski BM. An investigation into the origins of time-dependent variation in penetration rates with Charnley acetabular cups—wear, creep or degradation? *Proc Inst Mech Eng* 1996; 210(3):209-216.
102. Pollock D, Sychterz CJ, Engh CA. A clinically practical method of manually assessing polyethylene liner thickness. *J Bone Joint Surg Am* 2001; 83(12):1803-1809.
103. Huiskes R. The causes of failure for hip and knee arthroplasties. *Ned Tijdschr Geneesk* 1998; 142(37):2035-2040.
104. Rorabeck CH. Mechanisms of knee implant failure. *Orthopedics* 1995; 18(9):915-918.
105. Diez Roux AV. A glossary for multilevel analysis. *J Epidemiol Community Health* 2002; 56(8):588-594.
106. Greenland S. Principles of multilevel modelling. *Int J Epidemiol* 2000; (29):158-167.
107. van Loon CJ, Wisse MA, Waal Malefijt MC, Jansen RH, Veth RP. The kinematic total knee arthroplasty. A 10- to 15-year follow-up and survival analysis. *Arch Orthop Trauma Surg* 2000; 120(1-2):48-52.
108. Berger RA, Rosenberg AG, Barden RM, Sheinkop MB, Jacobs JJ, Galante JO. Long-term followup of the Miller-Galante total knee replacement. *Clin Orthop* 2001;(388):58-67.
109. Ritter MA, Berend ME, Meding JB, Keating EM, Faris PM, Crites BM. Long-term followup of anatomic graduated components posterior cruciate-retaining total knee replacement. *Clin Orthop* 2001;(388):51-57.
110. Gill GS, Joshi AB. Long-term results of Kinematic Condylar knee replacement. An analysis of 404 knees. *J Bone Joint Surg Br* 2001; 83(3):355-358.
111. Worland RL, Johnson GV, Alemparte J, Jessup DE, Keenan J, Norambuena N et al. Ten to fourteen year survival and functional analysis of the AGC total knee replacement system. *Knee* 2002; 9(2):133-137.
112. Back DL, Cannon SR, Hilton A, Bankes MJ, Briggs TW. The Kinemax total knee arthroplasty. Nine years' experience. *J Bone Joint Surg Br* 2001; 83(3):359-363.

113. Malkani AL, Rand JA, Bryan RS, Wallrichs SL. Total knee arthroplasty with the kinematic condylar prosthesis. A ten-year follow-up study. *J Bone Joint Surg Am* 1995; 77(3):423-431.
114. Weir DJ, Moran CG, Pinder IM. Kinematic condylar total knee arthroplasty. 14-year survivorship analysis of 208 consecutive cases. *J Bone Joint Surg Br* 1996; 78(6):907-911.
115. Ansari S, Ackroyd CE, Newman JH. Kinematic posterior cruciate ligament-retaining total knee replacements. A 10-year survivorship study of 445 arthroplasties. *Am J Knee Surg* 1998; 11(1):9-14.
116. Ranawat CS, Boachie-Adjei O. Survivorship analysis and results of total condylar knee arthroplasty. Eight- to 11-year follow-up period. *Clin Orthop* 1988;(226):6-13.
117. Babis GC, Trousdale RT, Morrey BF. The effectiveness of isolated tibial insert exchange in revision total knee arthroplasty. *J Bone Joint Surg Am* 2002; 84(1):64-68.
118. Engh GA, Koralewicz LM, Pereles TR. Clinical results of modular polyethylene insert exchange with retention of total knee arthroplasty components. *J Bone Joint Surg Am* 2000; 82(4):516-523.
119. Engh GA, Lounici S, Rao AR, Collier MB. In vivo deterioration of tibial baseplate locking mechanisms in contemporary modular total knee components. *J Bone Joint Surg Am* 2001; 83(11):1660-1665.
120. Insall JN, Haas SB. Complications of total knee arthroplasty. In: Insall JN, Windsor RE, Scott WN, Kelly MA, Aglietti P, editors. *Surgery of the knee*. New York: Churchill Livingstone, 1993: 891-943.
121. Colwell CW, Jr. Managing thromboembolic risk in hip and knee arthroplasty: state of the art. *Orthopedics* 2003; 26(2 Suppl):s231-s236.
122. Stulberg BN, Insall JN, Williams GW, Ghelman B. Deep-vein thrombosis following total knee replacement. An analysis of six hundred and thirty-eight arthroplasties. *J Bone Joint Surg Am* 1984; 66(2):194-201.
123. Idusuyi OB, Morrey BF. Peroneal nerve palsy after total knee arthroplasty. Assessment of predisposing and prognostic factors. *J Bone Joint Surg Am* 1996; 78(2):177-184.
124. Lonner JH, Lotke PA. Aseptic complications after total knee arthroplasty. *J Am Acad Orthop Surg* 1999; 7(5):311-324.
125. Ranawat CS. The patellofemoral joint in total condylar knee arthroplasty. Pros and cons based on five- to ten-year follow-up observations. *Clin Orthop* 1986;(205):93-99.
126. Kelly MA. Patellofemoral complications following total knee arthroplasty. *Instr Course Lect* 2001; (50):403-407.
127. Cracchiolo A, III. Statistics of total knee replacement. *Clin Orthop* 1976; 00 (120):2-3.
128. Fox JL, Poss R. The role of manipulation following total knee replacement. *J Bone Joint Surg Am* 1981; 63(3):357-362.
129. Esler CN, Lock K, Harper WM, Gregg PJ. Manipulation of total knee replacements. Is the flexion gained retained? *J Bone Joint Surg Br* 1999; 81(1):27-29.

130. McKellop HA, Campbell P, Park SH, Schmalzried TP, Grigoris P, Amstutz HC et al. The origin of submicron polyethylene wear debris in total hip arthroplasty. *Clin Orthop* 1995;(311):3-20.
131. Ramamurti BS, Bragdon CR, O'Connor DO, Lowenstein JD, Jasty M, Estok DM et al. Loci of movement of selected points on the femoral head during normal gait. Three-dimensional computer simulation. *J Arthroplasty* 1996; 11(7):845-852.
132. Ezzet KA, Garcia R, Barrack RL. Effect of component fixation method on osteolysis in total knee arthroplasty. *Clin Orthop* 1995;(321):86-91.
133. Huddleston HD. Femoral lysis after cemented hip arthroplasty. *J Arthroplasty* 1988; 3(4):285-297.
134. Hawker G, Wright J, Coyte P, Paul J, Dittus R, Croxford R et al. Health-related quality of life after knee replacement. *J Bone Joint Surg Am* 1998; 80(2):163-173.
135. Dawson J, Fitzpatrick R, Murray D, Carr A. Questionnaire on the perceptions of patients about total knee replacement. *J Bone Joint Surg Br* 1998; 80(1):63-69.
136. Aichroth P, Freeman MA, Smillie IS, Souter WA. A knee function assessment chart. From the British Orthopaedic Association Research Sub-Committee. *J Bone Joint Surg Br* 1978; 60(3):308-309.
137. Insall JN, Ranawat CS, Aglietti P, Shine J. A comparison of four models of total knee-replacement prostheses. *J Bone Joint Surg Am* 1976; 58(6):754-765.
138. Insall JN, Dorr LD, Scott RD, Scott WN. Rationale of the Knee Society clinical rating system. *Clin Orthop* 1989;(248):13-14.
139. Miller RK, Carr AJ. The Knee. In: Pynsent P, Fairbank J, Carr A, editors. *Outcome measures in orthopaedics*. Oxford: Butterworth-Heinemann, 1993: 228-244.
140. Liow RY, Walker K, Wajid MA, Bedi G, Lennox CM. Functional rating for knee arthroplasty: comparison of three scoring systems. *Orthopedics* 2003; 26(2):143-149.
141. Jadad AR, McQuay HJ. The measurement of pain. In: Pynsent P, Fairbank J, Carr A, editors. *Outcome measures in orthopaedics*. Oxford: Butterworth-Heinemann, 1993: 16-29.
142. Aitken RCB. A growing edge of measurement of feelings. *Proc Roy Soc Med* 1969; (62):989-993.
143. Huskisson EC. Measurement of pain. *Lancet* 1974; 2(7889):1127-1131.
144. Sriwatanakul K, Kelvie W, Lasagna L. The quantification of pain: an analysis of words used to describe pain and analgesia in clinical trials. *Clin Pharmacol Ther* 1982; 32(2):143-148.
145. Ethgen O, Bruyere O, Richy F, Dardennes C, Reginster JY. Health-related quality of life in total hip and total knee arthroplasty. A qualitative and systematic review of the literature. *J Bone Joint Surg Am* 2004; 86(5):963-974.
146. McGuigan FX, Hozack WJ, Moriarty L, Eng K, Rothman RH. Predicting quality-of-life outcomes following total joint arthroplasty. Limitations of the SF-36 Health Status Questionnaire. *J Arthroplasty* 1995; 10(6):742-747.

147. Rissanen P, Aro S, Slati P, Sintonen H, Paavolainen P. Health and quality of life before and after hip or knee arthroplasty. *J Arthroplasty* 1995; 10(2):169-175.
148. Robertsson O, Knutson K, Lewold S, Goodman S, Lidgren L. Knee arthroplasty in rheumatoid arthritis. A report from the Swedish Knee Arthroplasty Register on 4,381 primary operations 1985-1995. *Acta Orthop Scand* 1997; 68(6):545-553.
149. Robertsson O, Knutson K, Lewold S, Lidgren L. The Swedish Knee Arthroplasty Register 1975-1997: an update with special emphasis on 41,223 knees operated on in 1988-1997. *Acta Orthop Scand* 2001; 72(5):503-513.
150. Rodriguez JA, Saddler S, Edelman S, Ranawat CS. Long-term results of total knee arthroplasty in class 3 and 4 rheumatoid arthritis. *J Arthroplasty* 1996; 11(2):141-145.
151. Wright J, Ewald FC, Walker PS, Thomas WH, Poss R, Sledge CB. Total knee arthroplasty with the kinematic prosthesis. Results after five to nine years: a follow-up note. *J Bone Joint Surg Am* 1990; 72(7):1003-1009.
152. Rand JA, Ilstrup DM. Survivorship analysis of total knee arthroplasty. Cumulative rates of survival of 9200 total knee arthroplasties. *J Bone Joint Surg Am* 1991; 73(3):397-409.
153. Kirwan JR, Currey HL, Freeman MA, Snow S, Young PJ. Overall long-term impact of total hip and knee joint replacement surgery on patients with osteoarthritis and rheumatoid arthritis. *Br J Rheumatol* 1994; 33(4):357-360.
154. Goldberg VM, Figgie MP, Figgie HE, III, Heiple KG, Sobel M. Use of a total condylar knee prosthesis for treatment of osteoarthritis and rheumatoid arthritis. Long-term results. *J Bone Joint Surg Am* 1988; 70(6):802-811.
155. Nafei A, Kristensen O, Knudsen HM, Hvid I, Jensen J. Survivorship analysis of cemented total condylar knee arthroplasty. A long-term follow-up report on 348 cases. *J Arthroplasty* 1996; 11(1):7-10.
156. Drewett RF, Minns RJ, Sibly TF. Measuring outcome of total knee replacement using quality of life indices. *Ann R Coll Surg Engl* 1992; 74(4):286-289.
157. Sledge CB, Walker PS. Total knee arthroplasty in rheumatoid arthritis. *Clin Orthop* 1984;(182):127-136.
158. Aglietti P, Buzzi R. Posteriorly stabilised total-condylar knee replacement. Three to eight years' follow-up of 85 knees. *J Bone Joint Surg Br* 1988; 70(2):211-216.
159. Gill T, Schemitsch EH, Brick GW, Thornhill TS. Revision total knee arthroplasty after failed unicompartmental knee arthroplasty or high tibial osteotomy. *Clin Orthop* 1995;(321):10-18.
160. Katz MM, Hungerford DS, Krackow KA, Lennox DW. Results of total knee arthroplasty after failed proximal tibial osteotomy for osteoarthritis. *J Bone Joint Surg Am* 1987; 69(2):225-233.
161. Mont MA, Antonaides S, Krackow KA, Hungerford DS. Total knee arthroplasty after failed high tibial osteotomy. A comparison with a matched group. *Clin Orthop* 1994;(299):125-130.

162. Windsor RE, Insall JN, Vince KG. Technical considerations of total knee arthroplasty after proximal tibial osteotomy. *J Bone Joint Surg Am* 1988; 70(4):547-555.
163. Amendola A, Rorabeck CH, Bourne RB, Apyan PM. Total knee arthroplasty following high tibial osteotomy for osteoarthritis. *J Arthroplasty* 1989; 4 Suppl:S11-S17.
164. Cameron HU, Welsh RP. Potential complications of total knee replacement following tibial osteotomy. *Orthop Rev* 1988; 17(1):39-43.
165. Krackow KA, Holtgrewe JL. Experience with a new technique for managing severely overcorrected valgus high tibial osteotomy at total knee arthroplasty. *Clin Orthop* 1990;(258):213-224.
166. Masri BA, Campbell DG, Garbuz DS, Duncan CP. Seven specialized exposures for revision hip and knee replacement. *Orthop Clin North Am* 1998; 29(2):229-240.
167. Ries MD, Richman JA. Extended tibial tubercle osteotomy in total knee arthroplasty. *J Arthroplasty* 1996; 11(8):964-967.
168. Takai S, Yoshino N, Hirasawa Y. Revision total knee arthroplasty after failed high tibial osteotomy. *Bull Hosp Jt Dis* 1997; 56(4):245-250.
169. Whiteside LA. Surgical exposure in revision total knee arthroplasty. *Instr Course Lect* 1997; (46):221-225.
170. Bergenudd H, Sahlstrom A, Sanzen L. Total knee arthroplasty after failed proximal tibial valgus osteotomy. *J Arthroplasty* 1997; 12(6):635-638.
171. Nizard RS, Cardinne L, Bizot P, Witvoet J. Total knee replacement after failed tibial osteotomy: results of a matched-pair study. *J Arthroplasty* 1998; 13(8):847-853.
172. Toksvig-Larsen S, Magyar G, Onsten I, Ryd L, Lindstrand A. Fixation of the tibial component of total knee arthroplasty after high tibial osteotomy: a matched radiostereometric study. *J Bone Joint Surg Br* 1998; 80(2):295-297.
173. Nelissen RGHH. Fundamental aspects of the clinical evaluation of total joint prostheses. Thesis. Rijksuniversiteit Leiden, 1995.
174. Deshmukh RG, Hayes JH, Pinder IM. Does body weight influence outcome after total knee arthroplasty? A 1-year analysis. *J Arthroplasty* 2002; 17(3):315-319.
175. Stickles B, Phillips L, Brox WT, Owens B, Lanzer WL. Defining the relationship between obesity and total joint arthroplasty. *Obes Res* 2001; 9(3):219-223.
176. Stern SH, Bowen MK, Insall JN, Scuderi GR. Cemented total knee arthroplasty for gonarthrosis in patients 55 years old or younger. *Clin Orthop* 1990;(260):124-129.
177. Dalury DF, Ewald FC, Christie MJ, Scott RD. Total knee arthroplasty in a group of patients less than 45 years of age. *J Arthroplasty* 1995; 10(5):598-602.
178. Ranawat CS, Padgett DE, Ohashi Y. Total knee arthroplasty for patients younger than 55 years. *Clin Orthop* 1989;(248):27-33.

179. Diduch DR, Insall JN, Scott WN, Scuderi GR, Font-Rodriguez D. Total knee replacement in young, active patients. Long-term follow-up and functional outcome. *J Bone Joint Surg Am* 1997; 79(4):575-582.
180. Duffy GP, Trousdale RT, Stuart MJ. Total knee arthroplasty in patients 55 years old or younger. 10- to 17-year results. *Clin Orthop* 1998;(356):22-27.
181. March LM, Cross MJ, Lapsley H, Brnabic AJ, Tribe KL, Bachmeier CJ et al. Outcomes after hip or knee replacement surgery for osteoarthritis. A prospective cohort study comparing patients' quality of life before and after surgery with age-related population norms. *Med J Aust* 1999; 171(5):235-238.
182. Knutson K, Lewold S, Robertsson O, Lidgren L. The Swedish knee arthroplasty register. A nation-wide study of 30,003 knees 1976-1992. *Acta Orthop Scand* 1994; 65(4):375-386.
183. Coyte PC, Hawker G, Croxford R, Wright JG. Rates of revision knee replacement in Ontario, Canada. *J Bone Joint Surg Am* 1999; 81(6):773-782.
184. Merchant AC. Patellofemoral imaging. *Clin Orthop* 2001;(389):15-21.
185. McGraw KO, Wong SP. Forming Inferences about some intraclass correlation coefficients. *Psych Meth* 1996; 1(1):30-46.
186. Bland JM, Altman DG. Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1986; 1(8476):307-310.
187. Dorr LD, Conaty JP. Technical factors that influence mechanical loosening of total knee arthroplasty. *The Knee: papers of the first scientific meeting of the Knee Society* 1984: 131.
188. Petersen TL, Engh GA. Radiographic assessment of knee alignment after total knee arthroplasty. *J Arthroplasty* 1988; 3(1):67-72.
189. Denham RA. Factors which influence operations for replacement of the knee. In: Laskin RS, Denham RA, Apley AG, editors. *Replacement of the knee*. Heidelberg: Springer Verlag Berlin, 1984: 49-107.
190. Bargren JH, Blaha JD, Freeman MA. Alignment in total knee arthroplasty. Correlated biomechanical and clinical observations. *Clin Orthop* 1983;(173):178-183.
191. Dennis DA, Komistek RD, Walker SA, Cheal EJ, Stiehl JB. Femoral condylar lift-off in vivo in total knee arthroplasty. *J Bone Joint Surg Br* 2001; 83(1):33-39.
192. Dennis DA, Komistek RD, Mahfouz MR. In vivo fluoroscopic analysis of fixed-bearing total knee replacements. *Clin Orthop* 2003;(410):114-130.
193. Insall JN, Scuderi GR, Komistek RD, Math K, Dennis DA, Anderson DT. Correlation between condylar lift-off and femoral component alignment. *Clin Orthop* 2002;(403):143-152.
194. Benjamin J, Szivek J, Dersam G, Persselin S, Johnson R. Linear and volumetric wear of tibial inserts in posterior cruciate-retaining knee arthroplasties. *Clin Orthop* 2001;(392):131-138.
195. Matsuda S, Miura H, Nagamine R, Urabe K, Harimaya K, Matsunobu T et al. Changes in knee alignment after total knee arthroplasty. *J Arthroplasty* 1999; 14(5):566-570.

196. Sanzen L, Sahlstrom A, Gentz CF, Johnell IR. Radiographic wear assessment in a total knee prosthesis. 5- to 9-year follow-up study of 158 knees. *J Arthroplasty* 1996; 11(6):738-742.
197. Ewald FC. The Knee Society total knee arthroplasty roentgenographic evaluation and scoring system. *Clin Orthop* 1989;(248):9-12.
198. Mont MA, Fairbank AC, Yammamoto V, Krackow KA, Hungerford DS. Radiographic characterization of aseptically loosened cementless total knee replacement. *Clin Orthop* 1995;(321):73-78.
199. Rand JA. Total knee arthroplasty: Techniques. In: Morrey BF, editor. *Joint Replacement Arthroplasty*. New York: Churchill Livingstone, 1991: 989-1005.
200. Weissman BN. Radiographic evaluation of total joint replacement. In: Sledge CB, Ruddy S, Harris EDJr, editors. *Arthritis Surgery*. Philadelphia: WB Saunders, 1994: 846-907.
201. Kettelkamp DB, Wenger DR, Chao EY, Thompson C. Results of proximal tibial osteotomy. The effects of tibiofemoral angle, stance-phase flexion-extension, and medial-plateau force. *J Bone Joint Surg Am* 1976; 58(7):952-960.
202. Lotke PA, Ecker ML. Influence of positioning of prosthesis in total knee replacement. *J Bone Joint Surg Am* 1977; 59(1):77-79.
203. Jeffery RS, Morris RW, Denham RA. Coronal alignment after total knee replacement. *J Bone Joint Surg Br* 1991; 73(5):709-714.
204. Ritter MA, Faris PM, Keating EM, Meding JB. Postoperative alignment of total knee replacement. Its effect on survival. *Clin Orthop* 1994;(299):153-156.
205. Walker PS. In: Thomas CC, editor. *Human joints and their artificial replacements*. Illinois: Springfield, 1977.
206. Volz RG. Biomechanics update #2. Basic biomechanics: lever arm, instant center of motion, moment force, joint reactive force. *Orthop Rev* 1986; 15(10):677-684.
207. Johnson F, Leidl S, Waugh W. The distribution of load across the knee. A comparison of static and dynamic measurements. *J Bone Joint Surg Br* 1980; 62(3):346-349.
208. Ayers DC. Maximizing ultra high molecular weight polyethylene performance in total knee replacement. *Instr Course Lect* 2001; (50):421-429.
209. Schmalzried TP, Jasty M, Harris WH. Periprosthetic bone loss in total hip arthroplasty. Polyethylene wear debris and the concept of the effective joint space. *J Bone Joint Surg Am* 1992; 74(6):849-863.
210. Chiba J, Schwendeman LJ, Booth RE, Jr, Crossett LS, Rubash HE. A biochemical, histologic, and immunohistologic analysis of membranes obtained from failed cemented and cementless total knee arthroplasty. *Clin Orthop* 1994;(299):114-124.
211. Mintz AD, Pilkington CA, Howie DW. A comparison of plain and fluoroscopically guided radiographs in the assessment of arthroplasty of the knee. *J Bone Joint Surg Am* 1989; 71(9):1343-1347.

212. Fehring TK, McAvoy G. Fluoroscopic evaluation of the painful total knee arthroplasty. *Clin Orthop* 1996;(331):226-233.
213. Nelissen RGHH. Fundamental aspects of the clinical evaluation of total joint prostheses. Rijksuniversiteit Leiden, 1995.
214. Cadambi A, Engh GA, Dwyer KA, Vinh TN. Osteolysis of the distal femur after total knee arthroplasty. *J Arthroplasty* 1994; 9(6):579-594.
215. Orishimo KF, Claus AM, Sychterz CJ, Engh CA. Relationship between polyethylene wear and osteolysis in hips with a second-generation porous-coated cementless cup after seven years of follow-up. *J Bone Joint Surg Am* 2003; 85(6):1095-1099.
216. Huang CH, Ma HM, Liao JJ, Ho FY, Cheng CK. Osteolysis in failed total knee arthroplasty: a comparison of mobile-bearing and fixed-bearing knees. *J Bone Joint Surg Am* 2002; 84(12):2224-2229.
217. Robinson EJ, Mulliken BD, Bourne RB, Rorabeck CH, Alvarez C. Catastrophic osteolysis in total knee replacement. A report of 17 cases. *Clin Orthop* 1995;(321):98-105.
218. Dowling JM, Atkinson JR, Dowson D, Charnley J. The characteristics of acetabular cups worn in the human body. *J Bone Joint Surg Br* 1978; 60(3):375-382.
219. Rostoker W. The appearances of wear on polyethylene-a comparison of in vivo and in vitro wear surfaces. *J Biomed Mater Res* 1978; 12(3):317-335.
220. Rose RM, Crugnola A, Ries M, Cimino WR, Paul I, Radin EL. On the origins of high in vivo wear rates in polyethylene components of total joint prostheses. *Clin Orthop* 1979;(145):277-286.
221. Wroblewski BM. Wear of high-density polyethylene on bone and cartilage. *J Bone Joint Surg Br* 1979; 61(4):498-500.
222. Furman BD, Schmieg JJ, Li S. Assessment of backside polyethylene wear in three different metal backed total knee designs. 1-2-1999. 45th Annual Meeting, Orthopaedic Research Society.
223. Li S, Scuderi G, Furman BD, Bhattacharyya S, Schmieg JJ, Insall JN. Assessment of backside wear from the analysis of 55 retrieved tibial inserts. *Clin Orthop* 2002;(404):75-82.
224. Schmalzried TP, Callaghan JJ. Wear in total hip and knee replacements. *J Bone Joint Surg Am* 1999; 81(1):115-136.
225. Mikulak SA, Mahoney OM, dela Rosa MA, Schmalzried TP. Loosening and osteolysis with the press-fit condylar posterior-cruciate-substituting total knee replacement. *J Bone Joint Surg Am* 2001; 83(3):398-403.
226. Tallian TE. Elastohydrodynamic Hertzian contacts. *Mech Eng* 1971; 97:14-18.
227. el Nahass B, Madson MM, Walker PS. Motion of the knee after condylar resurfacing-an in vivo study. *J Biomech* 1991; 24(12):1107-1117.
228. Engh GA, Parks NL, Ammeen DJ. Tibial osteolysis in cementless total knee arthroplasty. A review of 25 cases treated with and without tibial component revision. *Clin Orthop* 1994;(309):33-43.

229. Griffin FM, Scuderi GR, Gillis AM, Li S, Jimenez E, Smith T. Osteolysis associated with cemented total knee arthroplasty. *J Arthroplasty* 1998; 13(5):592-598.
230. Hirakawa K, Bauer TW, Stulberg BN, Wilde AH, Borden LS. Characterization of debris adjacent to failed knee implants of 3 different designs. *Clin Orthop* 1996;(331):151-158.
231. Margevicius KJ, Bauer TW, McMahon JT, Brown SA, Merritt K. Isolation and characterization of debris in membranes around total joint prostheses. *J Bone Joint Surg Am* 1994; 76(11):1664-1675.
232. Wasielewski RC. The causes of insert backside wear in total knee arthroplasty. *Clin Orthop* 2002;(404):232-246.
233. Hirakawa K, Bauer TW, Yamaguchi M, Stulberg BN, Wilde AH. Relationship between wear debris particles and polyethylene surface damage in primary total knee arthroplasty. *J Arthroplasty* 1999; 14(2):165-171.
234. Ries MD, Philbin EF, Groff GD, Sheesley KA, Richman JA, Lynch F, Jr. Improvement in cardiovascular fitness after total knee arthroplasty. *J Bone Joint Surg Am* 1996; 78(11):1696-1701.
235. Bert JM, Reuben J, Kelly F, Gross M, Elting J. The incidence of modular tibial polyethylene insert exchange in total knee arthroplasty when polyethylene failure occurs. *J Arthroplasty* 1998; 13(6):609-614.
236. Stiehl JB, Komistek RD, Dennis DA, Paxson RD, Hoff WA. Fluoroscopic analysis of kinematics after posterior-cruciate-retaining knee arthroplasty. *J Bone Joint Surg Br* 1995; 77(6):884-889.
237. Ritter MA. Direct compression molded polyethylene for total hip and knee replacements. *Clin Orthop* 2001;(393):94-100.
238. Bankston AB, Keating EM, Ranawat C, Faris PM, Ritter MA. Comparison of polyethylene wear in machined versus molded polyethylene. *Clin Orthop* 1995;(317):37-43.
239. Bankes MJ, Coull R, Ferris BD. How long should patients be followed-up after total hip replacement? Current practice in the UK. *Ann R Coll Surg Engl* 1999;81:348-351.

